



# TIMBER SASH WINDOWS









# SASH WINDOW TILT AND SLIDE c B В A







# **MATERIALS:**

#### Wood:

We use laminated scantlings certified FSC or PEFC of

- SCOTTS PINE laminated in 3 finger jointed layers,
- MERANTI or WHITE OAK laminated in 2 solid layers and 1 intermediate finger jointed layer.

All our wood components are treated against insects, funghi and humidity, then stained or painted according to your choice with water based products.

- Stain colours will be selected from our colour chart.
- Any RAL colour may be selected for paints.

#### **Balances:**

## Balances:

High technology mechanisms combining stainless steel rod torsions and tension springs are used in keeping the balance of sashes at any point of its movement.

We also produce timber box sash windows. These are traditional vertical sliders working with weights and cords.

### **Seals:**

- The seals between glazing and profiles are of SILICON.
- The seals are of Q-LON (SCHLEGEL).

# **IRONMONGERY:**

# **Bow Handles**



# **Cam Lock and Keeps**



# **Finger Pulls**







# **ELEGANT**LINES

We offer the below options of profiles for use in windows to satisfy different tastes.


## EXTERIOR GLAZING BARS AND BEADS










# INTERIOR GLAZING BARS AND BEADS














ATATURK BULVARI KOSTEMIR CAD. NO.74 SILIVRI, ISTANBUL-TURKEY

T: +90 212 736 08 01 F: +90 212 736 08 02 www.arbor.com.tr int@arbor.com.tr







